

Product Name: eLabel Chemblend White Ant Termite Bait
APVMA Approval No: 88373/121132



Label Name:	Chemblend White Ant Termite Bait
Signal Headings:	
Constituent Statements:	1.0 g/kg CHLORFLUAZURON
Mode of Action:	GROUP 15 INSECTICIDE
Statement of Claims:	An insect development inhibitor type insecticide for use as part of a termite interception and baiting system, an integrated system for the management of subterranean termite infestations (except <i>Mastotermes darwiniensis</i>).
Net Contents:	100 g to 10 kg
Restrains:	Chemblend White Ant Termite Bait must be used only as part of an integrated termite management program by termite specialists approved by Chemblend.
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	

<p>General Instructions:</p>	<p>GENERAL INSTRUCTIONS</p> <p>Chemblend White Ant Termite Bait is used with in-ground and above-ground Stations and can contain up to 400g of bait paste. Chemblend White Ant Termite Bait in-ground stations are designed to intercept foraging termites with timber interceptors and to concentrate their feeding in the stations. In-ground stations containing timber interceptors are embedded in the soil around the perimeter of the building at intervals of 3-5 metres. Station placement is focused in areas where termites are most likely to be found foraging. These Stations are inspected on a regular basis at approximately 8 to 12 week intervals until termites are intercepted. (Inspections are more frequent during the warmer summer months and first inspection sooner if the building is under termite attack at the time of initial station installation.) At this point Chemblend White Ant Termite Bait is added to the Station. Baited Stations should be inspected every 3 – 8 weeks with the more frequent inspections occurring during the initial stages of termite feeding.</p> <p>When the colony has been eliminated, the Chemblend White Ant Termite Bait is removed and fresh timber interceptors are placed in the stations. These stations should continue to be monitored on a regular basis.</p> <p>Where live termites are feeding within a building, above-ground stations containing Chemblend White Ant Termite Bait are installed on areas of termite feeding. These are removed once the colony has been eliminated, or if no feeding occurs. Bait may also be placed directly into termite workings.</p> <p>Chemblend White Ant Termite Bait above-ground stations should be inspected at least 3 – 6 weekly with the more frequent inspections occurring during the initial stages of termite feeding. Bait is replenished or moistened with clean water to maintain its attractiveness in feeding stations.</p> <p>Termite Management</p> <p>To minimize the risk of termite infestation, the subfloor area of buildings should be kept free of stored or waste timber and all other building materials that attract termites. Appropriate actions should also be taken to eliminate any undue dampness caused by leaking water or sewerage pipes, or inadequate drainage.</p> <p>Service Requirement</p> <p>Regular, competent inspections by a licensed Pest Manager are recommended as part of an overall termite management program to determine the prevailing termite pressure and environmental conditions and consequent requirement for further termite management options. Inspections should be performed at least on an annual basis, but more frequent inspections are strongly recommended.</p>
------------------------------	--

<p>Resistance Warning:</p>	<p>INSECTICIDE RESISTANCE WARNING</p> <p>GROUP 15 INSECTICIDE</p> <p>For insecticide resistance management, Chemblend White Ant Termite Bait is a Group 15 insecticide. Some naturally occurring insect biotypes resistant to Chemblend White Ant Termite Bait and other Group 15 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Chemblend White Ant Termite Bait or other Group 15 insecticides are used repeatedly. The effectiveness of Chemblend White Ant Termite Bait on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Vaughany Holdings Pty accepts no liability for any losses that may result from the failure of Chemblend White Ant Termite Bait to control resistant insects. Chemblend</p>
----------------------------	--

White Ant Termite Bait may be subject to specific resistance management strategies. For further information contact your local supplier or Vaughany Holdings Pty representative.

Precautions:

Protections:

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
Dangerous to aquatic arthropods. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT place Chemblend White Ant Termite Bait in any area where, because of movement of water, it could be washed into a body of water containing aquatic life, such as ponds or streams.

Storage and Disposal:

Keep out of reach of children.
Store in the closed, original container in a cool, well-ventilated area out of direct sunlight. Triple-rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.
SPILLS
Sweep up material and wrap in paper. Dispose of as above. Prevent entry of spilled matter into drains or waterways.

Safety Directions:

First Aid Instructions:

First aid is not generally required. If in doubt, contact a Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766 or a doctor).

First Aid Warnings:

Directions for Use:

Situation	Pest	Rate	Critical Comments
For use in Integrated Termite Management Programs in and around residential and commercial properties, including food handling establishments, and other areas where termite presence can be detected eg fences, utility poles, trees, bridges, wharves and landscape structures in all areas of Australia except Tasmania.	Subterranean termites (except <i>Mastotermes darwiniensis</i>)	Mix 100 g of bait matrix with 300-400 mL of clean water. Up to 100 mL additional water may be added if conditions are hot and dry.	Do not use water that has been chlorinated or contaminated in any way. Stir until paste of uniform consistency is achieved. Add bait as necessary to approved bait stations or directly into termite workings. Replenish as required. When handling the bait matrix wear disposable latex rubber gloves to ensure odours or contaminants that may deter termite feeding are not transferred to the bait matrix. Note: 300 mL of bait matrix equals 100g.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**