

Product Name: Exiguard Buffalo Fly Insecticide
APVMA Approval No: 84897/111714



Label Name:	Exiguard Buffalo Fly Insecticide
Signal Headings:	DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	200 g/L CHLORFENVINPHOS (AN ANTICHOLINESTERASE COMPOUND) Solvent: 642.6 g/L LIQUID HYDROCARBON
Claims:	A SPECIAL FORMULATION FOR USE IN CATTLE BACKRUBBERS AND AS AN OVERSPRAY FOR CONTROL OF BUFFALO FLY (<i>Haematobia irritans exigua</i>).
Net Contents:	5 L
Directions for Use:	
Restrains:	NOT TO BE USED on lactating cows where milk may be used or processed for human consumption when treatment is by backrubber application.
Contraindications:	
Precautions:	Cattle should not be treated by overspray at intervals of less than 10 days. No more than 18 overspray treatments may be carried out in any one year. Remove backrubbers at the end of the Buffalo Fly season. Access to backrubbers should not be allowed for more than 40 weeks in any one year. Cattle should not be treated concurrently with, or within 10 days of, treatment with other products containing organophosphates.
Side Effects:	

Dosage and Administration:	
----------------------------	--

General Directions:	
---------------------	--

Withholding Periods:	<p>MEAT: Zero (0) days MILK (when used as a backspray): Zero (0) days MILK (when used as a backrubber): DO NOT USE on lactating cows where milk may be used or processed for human consumption when treatment is by backrubber application.</p>
----------------------	---

Trade Advice:	<p>EXPORT SLAUGHTER INTERVAL (ESI): WHEN USED AS A BACKRUBBER: DO NOT USE less than 10 days before slaughter for export. WHEN USED AS AN OVERSPRAY: Zero (0) days. Before using this product, confirm the current ESI from The Hunter River Company on (02) 9499 7370 or the APVMA website (www.apvma.gov.au/residues).</p>
---------------	---

Safety Directions:	<p>Product is very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. Will damage eyes. Will irritate the nose, throat and skin. Repeated exposure may cause allergic disorders. Repeated minor exposure may have cumulative poisoning effect. Avoid contact with the eyes or skin. Do not inhale vapour or spray mist.</p> <p>When opening the container, preparing the spray, or pouring large quantities, wear cotton overalls buttoned to the neck and wrists, a washable hat, PVC or rubber apron, elbow length nitrile gloves, goggles, impervious footwear and a half facepiece respirator.</p> <p>When using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, PVC or rubber apron, elbow-length nitrile gloves, goggles and impervious footwear. If excessive splashing or contamination is likely, in addition wear protective waterproof clothing. If clothing becomes contaminated with product or spray remove clothing immediately.</p> <p>If product or spray on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water. After use and before eating, drinking, or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing and respirator, and if rubber wash with detergent and warm water.</p>
--------------------	--

First Aid Instructions:	<p>If swallowed, splashed on skin or in eyes, or inhaled, contact the Poisons Information Centre, phone Australia 13 11 26, or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.</p>
-------------------------	---

First Aid Warnings:	
---------------------	--

Additional User Safety:	<p>ADDITIONAL USER SAFETY INFORMATION</p> <p>All effort should be made to minimise your exposure to chlorfenvinphos, particularly the concentrate.</p>
-------------------------	--

	DO NOT USE this product if it is too hot to wear the recommended personal protective equipment.
Environmental Statements:	<p>ENVIRONMENTAL PROTECTION</p> <p>Dangerous to fish. DO NOT contaminate ponds, waterways and drains with the product or used containers. DO NOT use this product in a manner which causes the product or used container to enter streams, rivers or waterways.</p>
Disposal:	<p>Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>
Storage:	Store below 30°C (Room Temperature) in the closed original container, in a ventilated separate building or room away from children, animals, fodder and foodstuffs. Do not store for prolonged periods in direct sunlight.

Dosage and administration

Animal	Pest	Treatment	State	Rate	Critical Comments
Beef cattle	Buffalo fly (<i>Haematobia iritans exigua</i>)	Application by backrubber. Make backrubber available to cattle each day and all day during the buffalo fly season	Qld WA NSW NT only	Mix 1 L EXIGUARD Buffalo Fly Insecticide per 20 L of new, non-recycled motor oil or clean mineral oil. Charge backrubber with 20 mL treated new, non-recycled motor oil or clean mineral oil per animal every three weeks. Do not exceed this rate.	Refer to mixing instructions on the label. NOT TO BE USED ON ANIMALS PRODUCING MILK FOR HUMAN CONSUMPTION WHEN TREATMENT IS BY BACKRUBBER APPLICATION.
Beef and dairy cattle		Application by overspray. Treatment at intervals of 21 days during the buffalo fly season is recommended (minimum permitted retreatment interval is 10 days).	Qld WA NSW NT only	Mix 20 mL EXIGUARD Buffalo Fly Insecticide per 1 L water (1:50). Apply 50 mL/150 kg liveweight of this dilute mix.	Refer to mixing instructions on this label. Apply as a coarse spray. Adequate coverage with the prescribed application rate is achieved with 4 passes of the spray along the dorsal midline of each animal from the neck to the rump. Protective period may be reduced following substantial rainfall post-treatment.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Mixing instructions

Backrubber application: add the required quantity of EXIGUARD Buffalo Fly Insecticide to the new, non-recycled motor oil or clean mineral oil in a 20 L or 200 L drum. Stir the insecticide thoroughly into the oil to provide a uniform mixture. Do not add water or wetting agent.

Further detailed information on methods of application by backrubber is available from the manufacturer.

Overspray application: add the recommended quantity of EXIGUARD Buffalo Fly Insecticide to the water in a mixing vessel. Stir the wash thoroughly before use. EXIGUARD Buffalo Fly Insecticide can be used in hard or soft water.