




FOR ANIMAL TREATMENT ONLY

**TROY
VITAMIN ADE INJECTION
FOR CATTLE, SHEEP & PIGS**



ACTIVE CONSTITUENTS

RETINOL PALMITATE (VITAMIN A)	500,000 IU/mL
CHOLECALCIFEROL (VITAMIN D3)	50,000 IU/mL
ALPHA TOCOPHEROL ACETATE (VITAMIN E)	50.0 mg/mL

FOR THE TREATMENT AND PREVENTION OF VITAMIN A, D & E DEFICIENCIES IN CATTLE, SHEEP & PIGS

100mL, 500 mL

DIRECTIONS FOR USE:

Intramuscular injection only.

Use the contents of this vial within 6 months of first broaching the vial.

Discard unused portion.

DOSAGE AND ADMINISTRATION:

[inverted table]

Target Species:	Dose:	Treatment Intervals and times:
Cows	5 mL	At least twice per year and 30 days prior to calving
Calves	1 mL	During the first week after birth
Sheep	1 – 2 mL	At least twice per year
Lambs	0.5 mL	As soon as possible after birth
Pigs	2 – 3 mL	Sows: One injection upon placement in farrowing house and a second injection during the first week after farrowing. Boars: One injection 1-2 weeks prior to breeding season
Piglets	0.25 – 0.5 mL	During the first week after birth

Caution: Avoid Carcass Damage

1. Sterilise all injection apparatus by boiling before use. Avoid use of strong disinfectants on apparatus.
2. Maintain cleanliness at all times
3. Keep needles sharp and clean. Replace frequently.
4. Use needles of appropriate gauge and length
5. As far as possible, avoid injection of animals in wet weather or under dusty conditions.
6. This product must be injected only into muscle tissues.
7. If possible inject into muscle tissue on side of neck

WITHHOLDING PERIODS

MEAT: 0 days, MILK: 0 days

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): zero (0) days.

TROY LABORATORIES PTY. LIMITED

31-35 Glendenning Road, Glendenning NSW 2761 Australia

website: www.troylab.com.au email: infolab@troylab.com.au

Dispose of empty container in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

Store below 25°C (Air Conditioning). Protect from light.

APVMA Approval No.: 61154/50125

Batch:

Expiry:

[LT0XXX]

FOR ANIMAL TREATMENT ONLY

RECEIVED
By E-labels from SRadburn at 10:23 am, Oct 11, 2010

**TROY
VITAMIN ADE INJECTION
FOR CATTLE, SHEEP & PIGS**

ACTIVE CONSTITUENTS

Each mL contains:

RETINOL PALMITATE (VITAMIN A)	500,000 IU/mL
CHOLECALCIFEROL (VITAMIN D3)	50,000 IU/mL
ALPHA TOCOPHEROL ACETATE (VITAMIN E)	50.0 mg/mL

**FOR THE TREATMENT AND PREVENTION OF VITAMIN A, D & E
DEFICIENCIES IN CATTLE, SHEEP & PIGS**

100mL, 500mL

Carton – Vitamin ADE – Ancillary Panel 1 & 2 100mL & 500mL

DIRECTIONS FOR USE

Intramuscular injection only.

Use the contents of this container within 6 months of first broaching the vial.

Discard unused portion.

DOSAGE AND ADMINISTRATION:

[inverted table]

Target Species:	Dose:	Treatment Intervals and times:
Cows	5 mL	At least twice per year and 30 days prior to calving
Calves	1 mL	During the first week after birth
Sheep	1 – 2 mL	At least twice per year
Lambs	0.5 mL	As soon as possible after birth
Pigs	2 – 3 mL	Sows: One injection upon placement in farrowing house and a second injection during the first week after farrowing. Boars: One injection 1-2 weeks prior to breeding season
Piglets	0.25 – 0.5 mL	During the first week after birth

Caution: Avoid Carcass Damage

1. Sterilise all injection apparatus by boiling before use. Avoid use of strong disinfectants on apparatus.
2. Maintain cleanliness at all times
3. Keep needles sharp and clean. Replace frequently.
4. Use needles of appropriate gauge and length
5. As far as possible, avoid injection of animals in wet weather or under dusty conditions.
6. This product must be injected only into muscle tissues.
7. If possible inject into muscle tissue on side of neck

WITHHOLDING PERIODS

MEAT: 0 days, MILK: 0 days

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): zero (0) days.

TROY LABORATORIES PTY. LIMITED

31-35 Glendenning Road, Glendenning NSW 2761 Australia

website: www.troylab.com.au email: info@troylab.com.au

Dispose of empty container in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

Store below 25°C (Air Conditioning). Protect from light.

APVMA Approval No.: 61154/ 50125
[CDXXXX]

Bottom of carton:

Batch:

Expiry:

