

Product Name: Apparent Demolish Selective Herbicide
APVMA Approval No: 85554 / 113611



Label Name:	Apparent Demolish Selective Herbicide
Signal Headings:	DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENT: 220 g/L DSMA
Mode of Action:	GROUP K HERBICIDE
Statement of Claims:	A clear liquid solution of DSMA for the control of: Paspalum (<i>Paspalum dilatatum</i>), Summergrass (<i>Digitaria</i> spp.), Mullumbimby Couch and other sedges in common couch, bent and fescue lawns, bowling greens and golf courses.
Net Contents:	CONTENTS: 5 – 25 Litres
Restrains:	RESTRAINTS: Do not use product on Queensland Blue Couch, Carpet, Kikuyu or Centipede grasses as severe injury may result. Do not apply to dry turf during hot weather. Do not water or cut grass for 24 hours after treatment. Do not spray on windy days as drift may damage desirable plants.
Directions for Use:	This section contains file attachment.
Other Limitations:	THIS PRODUCT IS TOO HAZARDOUS TO BE RECOMMENDED FOR USE IN THE HOME GARDEN.

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	GENERAL INSTRUCTIONS
-----------------------	----------------------

Resistance Warning:	<p>RESISTANT WEEDS WARNING: GROUP K HERBICIDE Apparent Demolish Selective Herbicide is a member of the Organoarsenic group of herbicides. For weed resistance management Apparent Demolish Selective Herbicide is a group K herbicide. Some naturally occurring weed biotypes resistant to Apparent Demolish Selective Herbicide and other group K herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Apparent Demolish Selective Herbicide or other group K herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Apparent Pty Ltd accepts no responsibility for any losses that may result from the failure of Apparent Demolish Selective Herbicide to control resistant weeds.</p>
---------------------	---

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF LIVESTOCK: Do not feed treated grass clippings from treated areas to poultry or other animals.</p> <p>PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT: Toxic to fish. Do not contaminate streams, rivers or waterways with the chemical or used container.</p> <p>PROTECTION OF CROPS, NATIVE AND NON TARGET PLANTS: Do not apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.</p>
--------------	---

Storage and Disposal:	<p>STORAGE AND DISPOSAL: Store in the closed, original container in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, foods, feedstuffs, seed and fertilizers. Triple or preferably pressure rinse empty containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush, and or puncture and bury empty containers in a local authority landfill. If not available, bury the containers at a depth of 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers or product should not be burnt.</p>
-----------------------	--

Safety Directions:	<p>SAFETY DIRECTIONS: Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and rubber gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.</p>
--------------------	--

First Aid Instructions:	FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre Phone Australia 131126.
-------------------------	---

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

SITUATION	PEST	STATE	RATE	CRITICAL COMMENTS
TURF COUCH Golf Greens Parks Lawns and Tennis Courts	Paspalum, Summergrass, Mullumbimby Couch, Sedges, Crab Grass, Nut Grass.	All States except WA	250 – 660 mL in 4.5 – 20 L of water per 100 m ²	Area to be treated should be watered the previous day to ensure the soil is moist. Use the finest spray possible. Some injury may occur if applied when air temperatures exceed 30°C. Use of lower rates will reduce discolouration but will require repeat applications at 7 days and 14 days later. Repeat spray program as necessary.
		WA only	250 mL in 4.5 L - 20 L of water per 100 m ² .	
Bowling Greens		All States except WA	10 L in 300 L of water per standard green.	
		WA only	3.8 L in 300 L of water per standard green.	
TURF BENT OR FESCUE Golf Greens Parks Lawns and Tennis Courts		All States	250-410 mL in 4.5 - 20 L of water per 100 m ² .	
		All States	6.1 L in 300 L of water per standard green.	
TURF BUFFALO GRASS Golf Greens Parks Lawns and Tennis Courts	WA only	250mL in 4.5 – 20 L of water per 100m ² .		

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.