

Product name: Garlon™ 600 Herbicide**Issue Date:** 28.11.2019

DOW AGROSCIENCES AUSTRALIA LIMITED encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. actions.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Garlon™ 600 Herbicide**Recommended use of the chemical and restrictions on use****Identified uses:** End use herbicide product**COMPANY IDENTIFICATION**

DOW AGROSCIENCES AUSTRALIA LIMITED
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA

Customer Information Number:

1800-700-096
aucustomerservice@corteva.com

EMERGENCY TELEPHONE NUMBER**24-Hour Emergency Contact:** +61 2 9474 7350**Local Emergency Contact:** 1800-370-754**For advice, contact a doctor (at once) or the Australian Poisons Information Centre:** 131 126**Transport Emergency Only Dial** 000

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification

Skin sensitisation - Category 1

Specific target organ toxicity - repeated exposure - Category 2

Acute aquatic toxicity - Category 1

Chronic aquatic toxicity - Category 1

GHS label elements**Hazard pictograms**

Signal word: **WARNING!**

Hazard statements

May cause an allergic skin reaction.

May cause damage to organs (Kidney) through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves.

Response

IF ON SKIN: Wash with plenty of soap and water.

Get medical advice/ attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Collect spillage.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No data available

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS, IN ACCORDANCE WITH SCHEDULE 8

This product is a mixture.

Component	CASRN	Concentration
Triclopyr-2-butoxyethyl ester	64700-56-7	69.02%
Oxirane, polymer with methyloxirane, mono (nonylphenyl) ether	37251-69-7	< 10.0 %
TCP: 3,5,6-Trichloro-2-pyridinol	6515-38-4	< 1.0 %
Balance	Not available	<= 20.98 %

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: FIREFIGHTING MEASURES

Hazchem Code: 2X

Suitable extinguishing media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Unsuitable extinguishing media: Do not use direct water stream. May spread fire.

Special hazards arising from the substance or mixture

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: Container may vent and/or rupture due to fire. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain

fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

Precautions for safe handling: Keep out of reach of children. Do not swallow. Avoid breathing vapour or mist. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Triclopyr-2-butoxyethyl ester	Dow IHG	TWA	2 mg/m3 SKIN, DSEN, BEI
TCP: 3,5,6-Trichloro-2-pyridinol	Dow IHG	TWA	7 mg/m3

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection: Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to AS/NZS 2161.10) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to AS/NZS 2161.10) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

AS/NZS 1336: Eye and face protection – Guidelines.

AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.

AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves.

AS/NZS 2210: Occupational protective footwear.

AS/NZS 4501: Occupational protective clothing Set

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid.

Colour Brown

Odour Odourless

Odour Threshold Odourless

pH 6.7 *pH Electrode*

Melting point/range Not applicable to liquids

Freezing point No data available

Boiling point (760 mmHg)	No data available
Flash point - closed cup	95 °C <i>Closed Cup</i>
Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour Pressure	No data available
Relative Vapour Density (air = 1)	1.2
Relative Density (water = 1)	No data available
Water solubility	Emulsifiable
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Liquid Density	1.2 g/cm ³ at 20 °C ANZ-01
Molecular weight	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Unstable at elevated temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

Conditions to avoid: Exposure to elevated temperatures can cause product to decompose.

Incompatible materials: Avoid contact with: Strong oxidizers.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen fluoride. Nitrogen oxides. Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity**Acute oral toxicity**

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. As product: LD50, Rat, male, > 2,000 mg/kg. No deaths occurred at this concentration.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts. As product: LD50, Rabbit, female, > 2,000 mg/kg. No deaths occurred at this concentration.

Acute inhalation toxicity

Prolonged exposure is not expected to cause adverse effects. Based on the available data, respiratory irritation was not observed. As product: The LC50 has not been determined.

Skin corrosion/irritation

Prolonged contact may cause slight skin irritation with local redness.

Serious eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

Sensitization

Has caused allergic skin reactions when tested in guinea pigs. For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s): In animals, effects have been reported on the following organs: Kidney. Liver.

Carcinogenicity

For similar active ingredient(s). Triclopyr. For the solvent(s): Did not cause cancer in laboratory animals.

Teratogenicity

For the active ingredient(s): Has been toxic to the foetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. For the solvent(s): Did not cause birth defects or any other fetal effects in laboratory animals.

Reproductive toxicity

For similar active ingredient(s). Triclopyr. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

For the solvent(s): Studies in laboratory animals indicate that diethylene glycol monoethyl ether (DEGEE) is not a reproductive toxicant even when given in large amounts (a few percent in the

drinking water). However, at the highest doses, it caused some toxic effects in offspring of treated animals: increased liver weight, decreased brain weight, reduced sperm motility.

Mutagenicity

For the active ingredient(s): For the solvent(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

COMPONENTS INFLUENCING TOXICOLOGY:**Triclopyr-2-butoxyethyl ester****Acute inhalation toxicity**

Prolonged exposure is not expected to cause adverse effects. Based on the available data, narcotic effects were not observed. Based on the available data, respiratory irritation was not observed.

LC50, Rat, 4 Hour, dust/mist, > 4.8 mg/l The LC50 value is greater than the Maximum Attainable Concentration.

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether**Acute inhalation toxicity**

The LC50 has not been determined.

TCP: 3,5,6-Trichloro-2-pyridinol**Acute inhalation toxicity**

The LC50 has not been determined.

Balance**Acute inhalation toxicity**

The LC50 has not been determined.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Ecotoxicity**Triclopyr-2-butoxyethyl ester****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Lepomis macrochirus (Bluegill sunfish), flow-through test, 96 Hour, 0.36 mg/l

LC50, Fish, 96 Hour, 0.310 mg/l

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, 2.9 mg/l, OECD Test Guideline 202

Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), 96 Hour, Growth rate inhibition, > 3.00 mg/l, OECD Test Guideline 201

ErC50, Myriophyllum spicatum, 14 d, 0.0473 mg/l
NOEC, Myriophyllum spicatum, 14 d, 0.00722 mg/l

Chronic toxicity to fish

NOEC, Rainbow trout (Oncorhynchus mykiss), 0.0263 mg/l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna (Water flea), 21 d, number of offspring, 1.6 mg/l
LOEC, Daphnia magna (Water flea), 21 d, number of offspring, 5.1 mg/l
MATC (Maximum Acceptable Toxicant Level), Daphnia magna (Water flea), 21 d, number of offspring, 2.9 mg/l

Toxicity to Above Ground Organisms

Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2,000 mg/kg).
Oral LD50, Colinus virginianus (Bobwhite quail), 21 d, 735 mg/kg bodyweight.

Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5,000 ppm).
Dietary LC50, Colinus virginianus (Bobwhite quail), 8 d, 1,890 mg/kg bodyweight.

Oral LD50, Apis mellifera (bees), 48 Hour, mortality, > 110 µg/bee

Contact LD50, Apis mellifera (bees), 48 Hour, mortality, > 100 µg/bee

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, > 1,042 mg/kg

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether**Acute toxicity to fish**

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 86 mg/l

TCP: 3,5,6-Trichloro-2-pyridinol**Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 0.75 mg/l

LC50, Pimephales promelas (fathead minnow), 72 Hour, 14.3 mg/l

LC50, Lepomis macrochirus (Bluegill sunfish), 96 Hour, 4.9 - 12.5 mg/l

Acute toxicity to aquatic invertebrates

LC50, Daphnia magna (Water flea), 48 Hour, 3.1 - 10.4 mg/l

EC50, eastern oyster (Crassostrea virginica), 96 Hour, 9.3 mg/l

LC50, grass shrimp (Palaemonetes pugio), 96 Hour, 83.0 mg/l

Acute toxicity to algae/aquatic plants

ErC50, diatom Navicula sp., 72 Hour, Growth rate inhibition, 2.0 mg/l

EbC50, diatom Navicula sp., 72 Hour, Biomass, 1.1 mg/l

EyC50, diatom Navicula sp., 96 Hour, Growth inhibition (cell density reduction), 1.2 mg/l

EC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, Biomass, 0.67 - 0.76 mg/l

EC50, blue-green alga Anabaena flos-aquae, 120 Hour, Biomass, 1.49 mg/l

ErC50, Lemna minor (duckweed), 336 Hour, Biomass, 8.75 mg/l

Chronic toxicity to fish

NOEC, Oncorhynchus mykiss (rainbow trout), flow-through test, 91 d, growth, 0.178 mg/l
LOEC, Oncorhynchus mykiss (rainbow trout), flow-through test, 91 d, growth, 0.278 mg/l
MATC (Maximum Acceptable Toxicant Level), Oncorhynchus mykiss (rainbow trout), flow-through test, 91 d, growth, 0.222 mg/l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, 0.058 mg/l

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on an acute basis (LD50 > 2,000 mg/kg).
Oral LD50, Colinus virginianus (Bobwhite quail), > 2,000 mg/kg

Material is practically non-toxic to birds on a dietary basis (LC50 > 5,000 ppm).
Dietary LC50, Anas platyrhynchos (Mallard duck), > 5,620 ppm

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, 9.8 mg/kg
EC50, Eisenia fetida (earthworms), 56 d, 6.89 mg/kg

Balance**Acute toxicity to fish**

No relevant data found.

Persistence and degradability**Triclopyr-2-butoxyethyl ester**

Biodegradability: Chemical degradation (hydrolysis) is expected in the environment.

Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail

Biodegradation: 18 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Theoretical Oxygen Demand: 1.39 mg/mg

Stability in Water (1/2-life)

Hydrolysis, half-life, 8.7 d, pH 7, Half-life Temperature 25 °C

Photodegradation

Atmospheric half-life: 5.6 Hour

Method: Estimated.

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether

Biodegradability: No relevant information found.

TCP: 3,5,6-Trichloro-2-pyridinol

Biodegradability: Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%).

Theoretical Oxygen Demand: 0.89 mg/mg

Balance

Biodegradability: No relevant data found.

Bioaccumulative potential**Triclopyr-2-butoxyethyl ester**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water (log Pow): 4.62

Bioconcentration factor (BCF): 110 Fish

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether

Bioaccumulation: No relevant data found.

TCP: 3,5,6-Trichloro-2-pyridinol

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water (log Pow): 3.21 Measured

Bioconcentration factor (BCF): 16 Fish Measured

Balance

Bioaccumulation: No relevant data found.

Mobility in Soil**Triclopyr-2-butoxyethyl ester**

Calculation of meaningful sorption data was not possible due to very rapid degradation in the soil.

For the degradation product: Triclopyr. Potential for mobility in soil is very high (Koc between 0 and 50).

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether

No relevant data found.

TCP: 3,5,6-Trichloro-2-pyridinol

Potential for mobility in soil is high (Koc between 50 and 150).

Partition coefficient (Koc): 130 Measured

Balance

No relevant data found.

Results of PBT and vPvB assessment**Triclopyr-2-butoxyethyl ester**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

TCP: 3,5,6-Trichloro-2-pyridinol

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Balance

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Other adverse effects

Triclopyr-2-butoxyethyl ester

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Oxirane, polymer with methyloxirane, mono(nonylphenyl)ether

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

TCP: 3,5,6-Trichloro-2-pyridinol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

This product when disposed of in its unused and uncontaminated state should be treated as a hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADG

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Triclopyr-2-butoxyethyl ester)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Triclopyr-2-butoxyethyl ester

Classification for SEA transport (IMO-IMDG):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Triclopyr-2-butoxyethyl ester)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Triclopyr-2-butoxyethyl ester
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Triclopyr-2-butoxyethyl ester)
UN number	UN 3082
Class	9
Packing group	III

Hazchem Code: 2X**Further information:**

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging's that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: S6**APVMA Approval Number:** 31898**Australia Inventory of Chemical Substances (AICS)**

The product is used in a biocide/pesticide application and is subject to the applicable regulation. It contains a component exempt from inventory listing requirements. Because an intentional component of the product is not on the inventory, the product may only be used in the exempt application.

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision

Identification Number: 101200350 / A143 / Issue Date: 28.11.2019 / Replaces: 17.10.2016

DAS Code: IWD-3483

Sections amended: 1, 14

Legend

Dow IHG	Dow Industrial Hygiene Guideline
SKIN, DSEN, BEI	Absorbed via Skin, Skin Sensitizer, Biological Exposure Indice
TWA	Time Weighted Average (TWA):

DOW AGROSCIENCES AUSTRALIA LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.