



Product Name: TOMCAT II ALL WEATHER BLOX RODENTICIDE  
APVMA Approval No: 50697/125125

Label Name:	TOMCAT II ALL WEATHER BLOX RODENTICIDE
Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	0.05 g/kg BRODIFACOUM Contains Denatonium Benzoate (Bittering agent)
Mode of Action:	
Statement of Claims:	Ready to use block bait for use in damp or dry situations in and around industrial, commercial, agricultural and domestic buildings. Controls Species Resistant to Warfarin. Single Feed. Kills Rats and Mice.
Net Contents:	0.8 - 8 kg Contains 20 g rodent blocks which are illegal to sell separately.
Restrains:	DO NOT exceed 3 m between bait stations for mice or 9 m for rats. DO NOT place bait stations in the open. DO NOT apply bait to crops.
Directions for Use:	This section contains file attachment.
Other Limitations:	THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.
Withholding Periods:	

Trade Advice:	
---------------	--

General Instructions:	<p><b>GENERAL INFORMATION</b>  Keep away from food and water, and surfaces that come in contact with food and water. Contains human taste deterrent, which prevents accidental consumption by children.</p> <p>Baiting Strategy: Eliminate as far as practicable, all other food sources. Bait infested area. Place baits under cover. Inspect bait stations daily. Replace eaten baits. If quickly eaten, increase number of baits. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.</p> <p>Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Nail or fix in place if relevant. Wax blocks are particularly suitable for use in damp situations where risk of contamination should be minimised. Record the number and locations of bait stations for purpose of replenishment and later removal. Inspect all bait stations regularly and ensure baits are removed when rodent activity has ceased. The use of this product for the control of protected native rodents requires permission from wildlife authorities. The product is restricted to use in and around buildings (within 2 m) or in enclosed spaces, e.g. drains.</p> <p>Most deaths occur 4 to 7 days after consumption of bait.</p>
-----------------------	---

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p><b>PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b>  The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. Place baits in locations inaccessible to other animals or birds. DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used containers. Look for dead rats or mice – burn or bury them, do not place in refuse bins or rubbish.</p>
--------------	---

Storage and Disposal:	<p>Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food and feedstuffs, seed and fertilisers. Do not dispose of chemicals on site. Break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when the rodent activity has ceased.</p>
-----------------------	--

Safety Directions:	<p>Poisonous if swallowed. Do not inhale dust. Do not touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K1 [phytomenadione] is antidotal.</p>
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

Tomcat II All Weather Blox Rodenticide DIRECTIONS FOR USE

**DIRECTIONS FOR USE**

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around agricultural, commercial, domestic and industrial buildings.	Rats ( <i>Rattus rattus</i> , <i>Rattus norvegicus</i> )  Mice ( <i>Mus musculus</i> )	1 to 3 blocks per bait station depending on level of infestation	Set out baits in places frequented by mice and rats but not more than 2 m away from buildings etc. <b>For Rats:</b> Place 1 to 3 blocks at intervals of 5 to 9 m in infested areas. <b>For Mice:</b> Place single blocks at 2 to 3 m intervals in infested areas.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.