



Product Name: Y-TEX BRUTE INSECTICIDE FOR HORSES
APVMA Approval No: 53577/120884

Label Name:	Y-TEX BRUTE INSECTICIDE FOR HORSES
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	87 g/L PERMETHRIN (25:75 CIS:TRANS)
Claims:	For control of biting and nuisance flies on horses. For residual control of susceptible Buffalo Fly (<i>Haematobia irritans exigua</i>), Stable Fly (<i>Stomoxys calcitrans</i>) and House Fly (<i>Musca domestica</i>). Queensland Itch For residual control of Sandflies (<i>Culicoides</i> spp.), the causal agents of Queensland Itch. Regular use of product will prevent, reduce or eliminate Queensland Itch on horses. Rain-resistant, low-irritant formulation.
Net Contents:	500 mL
Directions for Use:	
Restrains:	DO NOT USE on horses that may be used for human consumption. DO NOT treat foals under 12 weeks of age. DO NOT apply more than 30 mL per animal.
Contraindications:	
Precautions:	
Side Effects:	

Dosage and Administration:	This section contains file attachment.
General Directions:	<p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL, UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p> <p>Brute Insecticide for Horses will give effective control of biting and nuisance flies when used as directed. The level and duration of control may be reduced due to high fly pressure or on working horses due to the effects of perspiration.</p> <p>Application: For dirty horses, shampoo and rinse thoroughly. Wear protective BRUTE Applicator Mitt when applying. Shake well before using. Loosen cap and squeeze bottle to fill measuring chamber with required dosage. Remove cap and apply to applicator mitt. Apply 3 to 6 mL per 100 kg bodyweight, depending on targeted pests, up to a maximum of 30 mL per animal.</p>
Withholding Periods:	MEAT WITHHOLDING PERIOD (HORSES): DO NOT USE on horses that may be used for human consumption.
Trade Advice:	
Safety Directions:	May irritate the eyes. Avoid contact with eyes. Wash hands after use.
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.
First Aid Warnings:	
Additional User Safety:	
Environmental Statements:	<p>ENVIRONMENTAL PROTECTION</p> <p>Use BRUTE for Horses only on horses, mules and donkeys. This product is highly toxic to fish. DO NOT contaminate streams, rivers or waterways with the insecticide or used containers.</p>
Disposal:	Dispose of container by wrapping with paper and putting in garbage.
Storage:	Store upright at room temperature below 30°C. Store in the original container tightly closed, in a dry place. DO NOT store in direct sunlight.

Dosage and Administration:

Animal and Target Pest	Dosage	Administration
<p>Horses, by Ready-to-Use Wipe-on application:</p> <p>Biting flies: Sandflies including <i>Culicoides</i> spp., Buffalo Fly (<i>Haematobia irritans exigua</i>)</p> <p>Queensland Itch (hypersensitivity to <i>Culicoides</i> spp.)</p>	<p>3 mL / 100 kg bodyweight per animal.</p> <p>Reapply as needed but not more often than once every 7 days.</p>	<p>SHAKE WELL BEFORE USE.</p> <p>Apply as a whole body wipe with the BRUTE Applicator Mitt when fly numbers exceed acceptable levels. For the first application with a new applicator mitt, apply twice the dosage to charge the mitt. Pay special attention to where pests congregate, including the face. Be careful not to get product in the eyes.</p> <ul style="list-style-type: none"> • For Sandflies – wipe neck, withers and around tailhead. • For Buffalo Flies – wipe sides, shoulders and belly.
<p>Biting and Nuisance flies: Stable Fly (<i>Stomoxys calcitrans</i>), House Fly (<i>Musca domestica</i>), Buffalo Flies and Sandflies</p>	<p>6 mL / 100 kg bodyweight up to a max. of 30 ml per animal.</p>	<p>Apply as directed above.</p> <ul style="list-style-type: none"> • For Stable Flies – wipe legs, shoulders and belly.