

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

1 Identification

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer:

Nutrien Ag Solutions Limited
Level 5, Building A, 26 Talavera Road,
Macquarie Park NSW 2113

Phone Number: (02) 9889 5400

Emergency telephone number: 1800 44 88 92

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01).



health hazard

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 8042-47-5	White mineral oil, petroleum ⚠️ Aspiration Hazard 1, H304	77.94%
CAS: 52645-53-1	permethrin (ISO) ⚠️ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠️ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Skin Sensitisation 1, H317	8.7%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for several minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: No adverse health effects expected.

Ingestion: May be fatal if swallowed and enters airways.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

This product is not flammable, but will burn and decompose in a fire.

Containers close to fire should be removed if safe to do so. Closed containers may explode when exposed to extreme heat. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 2)

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area, preventing runoff from entering drains.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents. Store at room temperature.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Amber to light brown
Odour:	Mild
Odour Threshold:	No information available
pH-Value:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 3)

Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	168 °C (COC)
Flammability:	Combustible Liquid
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Density:	0.87 g/cm ³
Relative Density:	0.870
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Insoluble
Partition Coefficient (n-octanol/water):	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: No information available

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:

Oral	LD50	>5050 mg/kg (rat)
Dermal	LD50	>5050 mg/kg (rat)
Inhalation	LC50	>10 mg/l (rat) (Estimated)

CAS: 8042-47-5 White mineral oil, petroleum

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalation	LC50/4 h	>5 mg/l (rat)

CAS: 52645-53-1 Permethrin

Oral	LD50	383 mg/kg (rat)
Dermal	LD50	1,750 mg/kg (rat)
Inhalation	L50/4 h	485 mg/m ³ (rat)

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: May cause an allergic skin reaction.

Eye: No adverse health effects expected.

Ingestion: May be fatal if swallowed and enters airways.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 4)

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Permethrin is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for permethrin for a human is 0.05 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Very Toxic to aquatic life with long lasting effects.

CAS: 8042-47-5 White mineral oil, petroleum

EC50/48 h >100 mg/l (daphnia)

LC50/96 h >100 mg/l (rainbow trout)

Persistence and Degradability: No information available**Bioaccumulative Potential:** No information available**Mobility in Soil:** No information available**Other adverse effects:** No information available

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01).

UN3082

IMDG, IATA

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 5)

Proper Shipping Name**ADG****IMDG, IATA**

Not regulated
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
 LIQUID, N.O.S. (Permethrin)

Dangerous Goods Class**ADG Class:****IMDG Class:**

Not regulated
 9 Miscellaneous dangerous substances and articles.

Packing Group:**ADG****IMDG, IATA**

Not regulated
 III

Marine pollutant:

Yes
 Symbol (fish and tree)

EMS Number:

F-A,S-A

Hazchem Code:

•3Z

Special Provisions:

274, 331, 335, 375, AU01

Limited Quantities:

5L

Packagings & IBCs - Packing Instruction:

P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1**Portable Tanks & Bulk Containers - Instructions:** T4**Portable Tanks & Bulk Containers - Special Provisions:**

TP1, TP29

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 8042-47-5 | White mineral oil, petroleum

CAS: 52645-53-1 | Permethrin

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 16.09.2020**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - oral - Category 4

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aspiration Hazard 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 16.09.2020

Revision: 16.09.2020

Product Name: Y-TEX BRUTE POUR-ON FOR CATTLE

(Contd. of page 6)

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Data altered compared to the previous version:

Section 1: Details of Manufacturer or Importer.

Section 1: Phone Number.

Section 1: Emergency telephone Number.

Section 4: Symptoms Caused by Exposure.

Section 5: Special Hazards Arising from the Chemical.

Section 11: Toxicity.

Section 11: Acute Health Effects.

Section 11: Additional Toxicological Information.

Section 12: Aquatic Toxicity.

Section 14: Hazchem Code.

Section 14: Special Provisions.

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.