

RECEIVED

By Elabels Jclarence at 10:10 am, Aug 19, 2010

PFIZER ANIMAL HEALTH

Product Name: SUPONA BUFFALO FLY INSECTICIDE	
Date: 18 August 2010	Page 1 of 5
Product Size: 5 L	Description: Immediate Container
File number: 45594_49920_immediate_MPL_V01.doc	Version: April 2010

Text above this line and in italics between parallel lines is not included in the label copy.

IMMEDIATE CONTAINER – Panel 1



DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY



SUPONA[®]

Buffalo Fly Insecticide

200 g/L CHLORFENVINPHOS
(AN ANTICHOLINESTERASE COMPOUND)
Solvent: 642.6 g/L LIQUID HYDROCARBON

**A SPECIAL FORMULATION FOR USE IN CATTLE BACKRUBBERS AND AS AN
OVERSPRAY FOR CONTROL OF BUFFALO FLY (*Haematobia irritans exigua*)**

UN No 3017
5 Litres



Product Name: SUPONA BUFFALO FLY INSECTICIDE	
Date: 18 August 2010	Page 2 of 5
Product Size: 5 L	Description: Immediate Container
File number: 45594_49920_immediate_MPL_V01.doc	Version: April 2010

Text above this line and in italics between parallel lines is not included in the label copy.

IMMEDIATE CONTAINER – Panel 2

DIRECTIONS FOR USE

Restraints:

NOT TO BE USED on animals producing milk for human consumption or milk for processing when treatment is by backrubber application.

Precautions:

Cattle should not be treated by overspray at intervals of less than 10 days.
No more than 18 overspray treatments may be carried out in any one year.
Remove backrubbers at the end of the Buffalo Fly season.
Access to backrubbers should not be allowed for more than 40 weeks in any one year.
Cattle should not be treated concurrently with, or within 10 days of treatment with other products containing organophosphates.

Treatment recommendations and application rates

Animal	Pest	Treatment	State	Rate	Critical comments
Beef cattle	Buffalo fly (<i>Haematobia irritans exigua</i>)	Application by backrubber. Make backrubber available to cattle each day and all day during the buffalo fly season.	Qld, WA, NSW, NT only	Mix 1 litre SUPONA® Buffalo Fly Insecticide per 20 litres of new, non-recycled motor oil or clean mineral oil. Charge backrubber with 20 mL treated new, non-recycled motor oil or clean mineral oil per animal every three weeks. Do not exceed this rate.	Refer to mixing instructions on this label. NOT TO BE USED ON ANIMALS PRODUCING MILK FOR HUMAN CONSUMPTION WHEN TREATMENT IS BY BACKRUBBER APPLICATION.
Beef and dairy cattle		Application by overspray. Treatment at intervals of 21 days during the buffalo fly season is recommended (minimum permitted retreatment interval is 10 days).	Qld, WA, NSW, NT only	Mix 20 mL SUPONA® Buffalo Fly Insecticide per 1 litre water (1:50). Apply 50 mL/150 kg liveweight of this dilute mix.	Refer to mixing instructions on this label. Apply as a coarse spray. Adequate coverage with the prescribed application rate is achieved with 4 passes of the spray along the dorsal midline of each animal from the neck to the rump. Protective period may be reduced following substantial rainfall post-treatment.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Product Name: SUPONA BUFFALO FLY INSECTICIDE	
Date: 18 August 2010	Page 3 of 5
Product Size: 5 L	Description: Immediate Container
File number: 45594_49920_immediate_MPL_V01.doc	Version: April 2010

Text above this line and in italics between parallel lines is not included in the label copy.

IMMEDIATE CONTAINER – Panel 3

Mixing instructions

Backrubber application: add the required quantity of SUPONA Buffalo Fly Insecticide to the new, non-recycled motor oil or clean mineral oil in a 20 L or 200 L drum. Stir the insecticide thoroughly into the oil to provide a uniform mixture. Do not add water or wetting agent.

Further detailed information on methods of application by backrubber is available from the manufacturer.

Overspray application: add the recommended quantity of SUPONA Buffalo Fly Insecticide to the water in a mixing vessel. Stir the wash thoroughly before use. SUPONA Buffalo Fly Insecticide can be used in hard or soft water.

WITHHOLDING PERIODS

MEAT: 0 days

MILK (when used as a backspray): 0 days

MILK (when used as a backrubber): DO NOT USE on animals producing milk for human consumption or milk for processing when treatment is by backrubber application.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI):

WHEN USED AS A BACKRUBBER: DO NOT USE less than 10 days before slaughter for export.

WHEN USED AS AN OVERSPRAY: 0 days.

The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI with the manufacturer on 1800 814 883 or the APVMA website (www.apvma.gov.au/residues/ESI.shtml).

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND THE ENVIRONMENT

Dangerous to fish. **DO NOT** contaminate ponds, waterways and drains with the product or used containers.

DO NOT use this product in a manner which causes the product or used container to enter streams, rivers or waterways.

DISPOSAL

This container can be recycled if it is clean, dry, free of visible residues and has the *drumMUSTER* logo visible. Triple or pressure rinse container for disposal. Dispose of rinsate or any undiluted chemical according to State legislative requirements. Wash outside of the container and the cap. Store clean container in a sheltered place with cap removed. It will then be acceptable for recycling at any *drumMUSTER* collection or similar container management program site. The cap should not be replaced but may be taken separately.

If recycling is not available, dispose of containers in a local authority landfill. If neither of these options is available, bury the containers below 500 mm in a disposal pit specifically marked and set out for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

Product Name: SUPONA BUFFALO FLY INSECTICIDE	
Date: 18 August 2010	Page 4 of 5
Product Size: 5 L	Description: Immediate Container
File number: 45594_49920_immediate_MPL_V01.doc	Version: April 2010

Text above this line and in italics between parallel lines is not included in the label copy.

SAFETY DIRECTIONS

Product is very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. Will damage eyes. Will irritate the nose, throat and skin. Repeated exposure may cause allergic disorders. Repeated minor exposure may have cumulative poisoning effect. Avoid contact with the eyes or skin. Do not inhale vapour or spray mist.

When opening the container, preparing the spray, or pouring large quantities, wear cotton overalls buttoned to the neck and wrists, a washable hat, PVC or rubber apron, elbow length nitrile gloves, goggles, impervious footwear and a half facepiece respirator.

When using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, PVC or rubber apron, elbow-length nitrile gloves, goggles and impervious footwear. If excessive splashing or contamination is likely, in addition wear protective waterproof clothing. If clothing becomes contaminated with product or spray remove clothing immediately.

If product or spray on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water. After use and before eating, drinking, or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing and respirator, and if rubber wash with detergent and warm water.

ADDITIONAL SAFETY INFORMATION

All effort should be made to minimise your exposure to chlorfenvinphos, particularly the concentrate.

DO NOT USE this product if it is too hot to wear the recommended personal protective equipment.

IMMEDIATE CONTAINER -- Panel 4

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact the Poisons Information Centre, *phone Australia 13 11 26*, or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

STORAGE

Store below 30°C (Room Temperature) in the closed original container, in a ventilated separate building or room away from children, animals, fodder and foodstuffs. Do not store for prolonged periods in direct sunlight.

Batch number:

Expiry:

APVMA Approval No.: 45594/49920

Product Name: SUPONA BUFFALO FLY INSECTICIDE	
Date: 18 August 2010	Page 5 of 5
Product Size: 5 L	Description: Immediate Container
File number: 45594_49920_immediate_MPL_V01.doc	Version: April 2010

Text above this line and in italics between parallel lines is not included in the label copy.

EMERGENCY INFORMATION PANEL	
TOXIC 6	FLAMMABLE LIQUID
<p>IN A TRANSPORT EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE</p>	
<p>ORGANOPHOSPHORUS, PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (CONTAINS CHLORFENVINPHOS AND HYDROCARBON SOLVENT) UN No. 3017</p>	
<p>For specialist advice in emergency only 1 800 033 111 (all hours)</p>	



Animal Health

A division of Pfizer Australia Pty Ltd
 38-42 Wharf Rd West Ryde NSW 2114
 Toll Free Information Line 1800 022 442

® Registered Trademark

© 2010