



# Safety Data Sheet

according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

## 1 Identification

**Product Name:** Apparent Imazethapyr 700 WG Herbicide

**Other Means of Identification:** Mixture

**Other Name:** Imazethapyr. Imidazolinone herbicide. Group 2 Herbicide.

**APVMA Number:** 67621

**Recommended Use of the Chemical and Restriction on Use:**

A selective pre or post emergence agricultural herbicide.

**Details of Manufacturer or Importer:**

AIRR Apparent Pty Ltd

15/16 Princes Street

Newport, NSW, 2106

**Phone Number:** 03 5820 8400

**Emergency telephone number:** 0437 303 689

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Signal Word** Warning

**Hazard Statements**

H332 Harmful if inhaled.

H315 Causes skin irritation.

H320 Causes eye irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

**Product Name: Apparent Imazethapyr 700 WG Herbicide**

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national regulations.

### 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 81335-77-5	Imazethapyr	70%
	⚠ Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Eye Irrit. 2B, H320; Aquatic Chronic 3, H412	

### 4 First Aid Measures

**General Information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Protect unharmed eye. Seek immediate medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Do not give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

**Symptoms Caused by Exposure:**

Inhalation: Dust may cause mild respiratory irritation.

Skin Contact: Causes skin irritation, itchiness and redness.

Eye Contact: Causes serious eye irritation, redness, stinging and tearing. Prolonged exposure or delayed treatment may cause permanent eye damage.

Ingestion: May be irritating to mucous membranes.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:**

Water fog, foam, dry chemical or carbon dioxide. Do not use full water jet, as it will scatter the material.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, nitrogen, nitrogen oxides, other nitrogen compounds, hydrogen cyanide, smoke and water.

This product is not flammable. However, clouds of dust may form an explosive or flammable mixture with air.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

**Product Name: Apparent Imazethapyr 700 WG Herbicide**

(Contd. of page 2)

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Consider vacuuming. Provide adequate ventilation. Decontaminate spill area, preventing runoff from entering drains.

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong acids, strong bases and strong oxidising agents.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:**

Nuisance dust:  
TWA - 10 mg/m<sup>3</sup> (inspirable dust)

**Engineering Controls:** Ensure adequate ventilation of the working area.

**Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

### 9 Physical and Chemical Properties

**Appearance:**

**Form:** Granulate  
**Colour:** Tan

(Contd. on page 4)

# Safety Data Sheet

## according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

**Product Name: Apparent Imazethapyr 700 WG Herbicide**

(Contd. of page 3)

<b>Odour:</b>	Faint rubbery
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	~170 °C (imazethapyr)
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	No information available
<b>Flammability:</b>	Product is not flammable
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available
<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	Negligible at normal ambient temperatures.
<b>Relative Density:</b>	No information available
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Dispersible
<b>Partition Coefficient (n-octanol/water):</b>	No information available

### 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Direct sunlight.

**Incompatible Materials:** Strong acids, strong bases and strong oxidising agents.

**Hazardous Decomposition Products:**

Oxides of carbon, nitrogen, nitrogen oxides, other nitrogen compounds, hydrogen cyanide, smoke and water

### 11 Toxicological Information

**Toxicity:**

**LD50/LC50 Values Relevant for Classification:**

**CAS: 81335-77-5 Imazethapyr**

Oral	LD50	>5,000 mg/l (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalation	LC50/4 h	3.27 mg/l (rat)

**Acute Health Effects**

**Inhalation:** Dust may cause mild respiratory irritation.

**Skin:** Causes skin irritation, itchiness and redness.

**Eye:** Causes serious eye irritation, redness, stinging and tearing.

**Ingestion:** May be irritating to mucous membranes.

**Skin Corrosion / Irritation:** Causes skin irritation.

**Serious Eye Damage / Irritation:** Causes eye irritation.

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

**Product Name: Apparent Imazethapyr 700 WG Herbicide**

(Contd. of page 4)

**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** Prolonged exposure or delayed treatment may cause permanent eye damage.**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for imazethapyr for a human is 2.8 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 276 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

## 12 Ecological Information

**Ecotoxicity:****CAS: 81335-77-5 Imazethapyr**

LD50/48 h &gt;100 µg/bee (bee)

Non-toxic to birds.

**Aquatic toxicity:****CAS: 81335-77-5 Imazethapyr**

LC50/96 h 420 mg/l (bluegill)

340 mg/l (rainbow trout)

LC50/48 h &gt;1,000 mg/l (daphnia)

**Persistence and Degradability:** Moderately persistent - half-life in soil of 10 days.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** The product weakly adsorbs to soil particles and is not expected to leach.**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Printing date 18.10.2021

Revision: 18.10.2021

**Product Name: Apparent Imazethapyr 700 WG Herbicide**

(Contd. of page 5)

### 15 Regulatory Information

**Australian Inventory of Industrial Chemicals:**

CAS: 81335-77-5 | Imazethapyr

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 5

**Australian Pesticides and Veterinary Medicines Authority: 67621**

### 16 Other Information

**Date of Preparation or Last Revision:** 18.10.2021**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)
**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Inhalation) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.