

# SAFETY DATA SHEET

PRODUCT NAME **Imtrade Commander Dual Herbicide**  
APVMA Product Code: 64568

## 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** **IMTRADE AUSTRALIA PTY LTD**  
**Address** 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167  
**Telephone** 1800 171 799  
**Fax** 1800 171 788  
**Emergency** In a Transport Emergency Dial 000 – Police or Fire Brigade  
**Web site** <http://www.imtrade.com.au>  
**Product Use:** Agricultural herbicide for use as described on the product label.  
**Creation Date:** **November, 2009**  
**This version issued:** **October, 2022** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**  
**Product type:** Water solution of Triclopyr and Picloram; both as amine salts (see below).

## SECTION 2 - HAZARDS IDENTIFICATION

### Statement of Hazardous Nature

**SUSMP Classification:** S6

**ADG Classification:** Class 9: Miscellaneous Dangerous Goods.

**UN Number:** 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICLOPYR, PICLORAM).



### GHS Signal word: **WARNING.**

Acute Toxicity Oral - Category 4

Skin Irritation - Category 2

Skin Sensitisation - Category 1

Eye Irritation - Category 2B

Acute Toxicity Inhalation - Category 4

Specific Target Organ Toxicity - Single Exposure - Category 3

Specific Target Organ Toxicity – Repeated Exposure - Category 2

Hazardous to the Aquatic Environment (Chronic) - Category 1

### **HAZARD STATEMENTS:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H373: May cause damage to kidneys through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

### **PRECAUTIONARY STATEMENTS:**

#### **PREVENTION**

P102: Keep out of reach of children.

P261: Avoid breathing fumes, mists, vapours or spray.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

## SAFETY DATA SHEET

P271: Use only outdoors or in a well ventilated area.

P280: Wear protective gloves, protective clothing and eye or face protection.

**RESPONSE**

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

**STORAGE**

P405: Store locked up.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

**DISPOSAL**

P501: Dispose of contents and containers as specified on the registered label.

**Emergency Overview**

**Physical Description & Colour:** Brown to black liquid.

**Odour:** Amine odour.

**Major Health Hazards:** harmful by inhalation, in contact with skin, and if swallowed, irritating to eyes, respiratory system and skin, may cause kidney damage through repeated/prolonged exposure, skin sensitiser.

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients	CAS No	Conc, %	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Triclopyr (as triethylamine salt)	57213-69-1	200g/L	not set	not set
Picloram (as triisopropanolamine salt)	6753-47-5	100g/L	10	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**SECTION 4 - FIRST AID MEASURES****General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

**SAFETY DATA SHEET**

**SECTION 5 - FIRE FIGHTING MEASURES**

**Fire and Explosion Hazards:** There is little risk of an explosion from this product if commercial quantities are involved in a fire.

This product is likely to decompose only after heating to dryness, followed by further strong heating.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Not Combustible. Use extinguishing media suited to burning materials. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

**Flammability Class:** Does not burn.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type G cartridge, suitable for agricultural chemicals.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

**SECTION 7 - HANDLING AND STORAGE**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**SWA Exposure Limits****TWA (mg/m<sup>3</sup>)****STEL (mg/m<sup>3</sup>)**

Picloram (as triisopropanolamine salt)

10

not set

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

**Skin Protection:** Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

**SAFETY DATA SHEET**

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

---

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

---

<b>Physical Description &amp; colour:</b>	Brown to black liquid.
<b>Odour:</b>	Amine odour.
<b>Boiling Point:</b>	Approximately 100°C at 100kPa.
<b>Flash point:</b>	Does not burn.
<b>Upper Flammability Limit:</b>	Does not burn.
<b>Lower Flammability Limit:</b>	Does not burn.
<b>Autoignition temperature:</b>	Not applicable - does not burn.
<b>Freezing/Melting Point:</b>	Below 0°C.
<b>Volatiles:</b>	Water component.
<b>Vapour Pressure:</b>	2.37 kPa at 20°C (water vapour pressure).
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	1.133
<b>Water Solubility:</b>	Completely soluble in water.
<b>pH:</b>	7-8 (undiluted, as supplied)
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water Distribution:</b>	No data
<b>Particle Characteristics:</b>	Not applicable to liquids.

---

## SECTION 10 – STABILITY AND REACTIVITY

---

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated.

**Incompatibilities:** oxidising agents.

**Fire Decomposition:** This product is likely to decompose only after heating to dryness, followed by further strong heating. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

### Local Effects:

**Target Organs:** There is no data to hand indicating any particular target organs.

---

### Classification of Hazardous Ingredients

---

#### Ingredient

#### Health Hazard Statement Codes

No ingredient mentioned in the HCIS Database is present in this product at hazardous concentrations.

**Toxicity:** An information profile for Triclopyr is available at <http://extoxnet.orst.edu/pips/ghindex.html>

**Chronic toxicity:** Rats fed diets containing between 3 and 30 mg/kg/day of Triclopyr experienced no ill effects. Male rats fed much higher doses (100 mg/kg/day) had decreased liver and body weight and increased kidney weight. Male mice also showed reduced liver weight but at 60 mg/kg/day. Monkeys fed smaller doses of Triclopyr (20 mg/kg/day) showed no adverse effects.

**Reproductive effects:** Triclopyr fed to rabbits on days 6 to 18 of gestation at doses of 25, 50, and 100 mg/kg/day produced no effects on maternal body weight, litter size, or foetal body weight. Triclopyr does not appear to cause reproductive toxicity.

**Teratogenic effects:** Pregnant rats given moderate to high doses of 50, 100, and 200 mg/kg/day on days 6 to 15 of gestation had offspring with mild foetotoxicity, but no birth defects. These data suggest that Triclopyr is not teratogenic.

**Mutagenic effects:** Triclopyr is nonmutagenic in bacterial and cytogenetic assay systems. Based on these data, Triclopyr is unlikely to be mutagenic.

## SAFETY DATA SHEET

**Carcinogenic effects:** Rats and mice fed oral doses of Triclopyr at 3 to 30 mg/kg/day for 2 years showed no carcinogenic response. Based on these data, Triclopyr is unlikely to be carcinogenic.

**Organ toxicity:** Organs affected by exposure to Triclopyr include the kidneys and liver.

**Fate in humans and animals:** Data from animal studies indicate that Triclopyr is rapidly eliminated via the urine as the unchanged parent compound. At higher oral doses, some Triclopyr may be eliminated through the faeces as the absorption capacity of the intestine is exceeded. Reported half-lives for elimination of Triclopyr from mammals are 14 hours (dog) and <24 hours (monkeys).

---

## Potential Health Effects

---

### Inhalation:

**Short Term Exposure:** Available data shows that this product is harmful, but symptoms are not available. In addition product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

### Skin Contact:

**Short Term Exposure:** Available data shows that this product is harmful, but symptoms are not available. In addition product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

### Eye Contact:

**Short Term Exposure:** This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, but symptoms are not available. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

---

## SECTION 12 - ECOLOGICAL INFORMATION

---

This product is toxic to aquatic organisms. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

**Effects on birds:** Triclopyr is slightly to practically nontoxic to birds. The LD<sub>50</sub> of the parent compound in the mallard duck is 1698 mg/kg, while the formulated compounds are of lower toxicity. The LC<sub>50</sub> in bobwhite quail and Japanese quail fed Triclopyr for 8 days are 2935 ppm and 3278 ppm, respectively.

**Effects on aquatic organisms:** The parent compound and amine salt are practically nontoxic to fish. The compound is practically nontoxic to the aquatic invertebrate Daphnia magna, a water flea, with a reported LC<sub>50</sub> for the amine salt of 1170 mg/L. The ester formulation has reported 96-hour LC<sub>50</sub> values of 0.74 mg/L and 0.87 mg/L in the rainbow trout and bluegill sunfish, respectively. The compound has little if any potential to accumulate in aquatic organisms.

**Effects on other organisms:** The compound is nontoxic to bees.

### Environmental Fate:

**Breakdown in soil and groundwater:** In natural soil and in aquatic environments, the ester and amine salt formulations rapidly convert to the acid, which in turn is neutralised to a relatively nontoxic salt. It is effectively degraded by soil microorganisms and has a moderate persistence in soil environments.

**Breakdown in water:** Triclopyr is not readily hydrolysed at pH 5 to 9. Hydrolysis of the ester and the amine salt occurs rapidly and results in formation of Triclopyr. Reported half-lives in water are 2.8 to 14.1 hours, depending on season and depth of water.

**Breakdown in vegetation:** Triclopyr is readily translocated throughout a plant after being taken up by either roots or the foliage. The estimated half-life in above ground drying foliage as in a forest overstorey is 2 to 3 months.

## SAFETY DATA SHEET

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

**SECTION 14 - TRANSPORT INFORMATION**

**Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMSBC when carried by Air or Sea transport (see details below).**

**UN Number:** 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICLOPYR, PICLORAM).

**Hazchem Code:** •3Z

**Special Provisions:** 179, 274, AU01

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

**Packaging Group:** III

**Packaging Method:** P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

**SECTION 15 - REGULATORY INFORMATION**

**AIIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.

The following ingredient: Triclopyr, is mentioned in the SUSMP.

**SECTION 16 - OTHER INFORMATION**

**This SDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AIIC</b>	Australian Inventory of Industrial Chemicals
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

This SDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, October, 2022.

<http://www.kilford.com.au/> Phone (02)8321 8866

End of Report

**SAFETY DATA SHEET**