



Product Name: ABOLISH PRO COCKROACH GEL
APVMA Approval No: 90100/127468



Label name:	ABOLISH PRO COCKROACH GEL
Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	ACTIVE CONSTITUENT: 8 g/kg INDOXACARB (75:25) (equivalent to 6 g/kg active S-isomer)
Mode of Action:	GROUP 22A INSECTICIDE
Statement of Claims:	For the control of Cockroaches in the situations specified in the Directions for Use
Net Contents:	10 g – 5 kg
Restrains:	Restrains DO NOT place gel on surfaces that are regularly washed. DO NOT allow to contact food, livestock feed or their water. DO NOT place gel on surfaces where food is prepared or on utensils that are used for food preparation, on food packing materials or on surfaces where food packing materials are stored. FOR PROFESSIONAL USE ONLY
Directions for Use:	
Other Limitations:	
Withholding Periods:	

Trade Advice:	
General Instructions:	<p>ABOLISH PRO COCKROACH GEL is designed to control pest species of cockroaches including American and German. The slight delay in mortality caused by the active ingredient, indoxacarb, allows cockroaches to consume the bait and return to the harbourage site to contaminate other cockroaches. It contains the active ingredient indoxacarb, a powerful, non-repellent insecticide.</p> <p>Use Instructions</p> <p>To apply the gel, unscrew the cap on the nozzle and touch the tip to the surface to be treated and slowly squeeze tube until sufficient gel is dispensed. Recap the tube after treatment is completed. Where maintenance treatments form part of the professional pest controller's contract, it is recommended that cockroach activity be monitored where gel had been applied 1 month after initial treatment or at more regular intervals in areas of high infestation.</p> <p>Where application of a non-repellent spray is required it is recommended that a suitable registered product such as EnsnarePRO 50 SC be applied according to the registered label on that product.</p>
Resistance Warning:	<p>Insecticide Resistance Warning GROUP 22A INSECTICIDE</p> <p>For insecticide resistance management ABOLISH PRO COCKROACH GEL is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to ABOLISH PRO COCKROACH GEL and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if ABOLISH PRO COCKROACH GEL and other Group 22A insecticides are used repeatedly. The effectiveness of ABOLISH PRO COCKROACH GEL on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sundew Solutions Pty Ltd accepts no liability for any losses that may result from failure of ABOLISH PRO COCKROACH GEL to control resistant insects. ABOLISH PRO COCKROACH GEL may be subject to specific resistance management strategies. For further information contact your supplier or Sundew Solutions representative.</p>
Precautions:	<p>Avoid applying ABOLISH PRO COCKROACH GEL to surfaces recently treated with repellent residual sprays.</p> <p>Surfaces treated with ABOLISH PRO COCKROACH GEL should not be treated with repellent residual sprays.</p> <p>DO NOT apply this product in any areas easily accessible to children or animals.</p>
Protections:	<p>PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.</p>
Storage and Disposal:	<p>Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. DO NOT store in direct sunlight and DO NOT store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.</p>

Safety Directions:	SAFETY DIRECTIONS Wash hands after use.
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126; New Zealand 0800 764 766.
First Aid Warnings:	

DIRECTIONS FOR USE

Situation	Pest	Rate	Critical Comments
<p>Domestic, commercial and public service buildings including factories, farm buildings, food processing establishments, homes, hospitals, kitchens, offices, store rooms, restaurants, retail outlets.</p> <p>Vehicles.</p>	<p>American Cockroach, German Cockroach, other common cockroaches</p>	<p>Apply at least 2 spots/m². Increasing the number of spots (up to 5/m²) may be required for heavy infestations or if American Cockroaches are the main pest. Recommended spot size is approximately 5 mm diameter (0.1 g)</p>	<p>ABOLISH PRO COCKROACH GEL should be applied to areas frequented by cockroaches such as between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets, sinks, closets and any other equipment that cockroaches are typically known to hide.</p> <p>ABOLISH PRO COCKROACH GEL should be applied as a small spot of material, approximately 0.1 g (approximately 5 mm in diameter – the size of a small pea). Several small applications distributed within an area are more effective than 1 or 2 applications of large quantities. In some cases a small thin bead (less than 2.5 mm wide and 5 cm long) may be appropriate. Bait placements should be inspected periodically for consumption and reapplied as needed. It is recommended that PESTIE DOTZ® are used when applying ABOLISH PRO COCKROACH GEL to aid in accurate bait size placement, to monitor bait consumption and to identify where bait placements were made previously. A typical infestation may require as little as 1/3 a tube (15 g) of ABOLISH PRO COCKROACH GEL whereas heavy infestations in large structures may require the use of several tubes of gel bait.</p> <p>Where application of a non-repellent spray is required it is recommended that a suitable registered product such as EnsnarePRO® 50 SC be applied according to the registered label on that product.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ABOLISH PRO[®] COCKROACH GEL

ACTIVE CONSTITUENT: 8 g/kg INDOXACARB (75:25) (equivalent to 6 g/kg active S-isomer)

For the control of cockroaches in domestic situations

Net contents: 10 g – 500 g

HOW TO USE

DO NOT place gel on surfaces that are regularly washed.

Area	Pest	Rate	How to apply
Areas of homes and other buildings and structures where cockroaches occur	Cockroaches	Apply as spots of gel or small lines of gel	To apply, unscrew the cap on the nozzle and touch the tip to the surface to be treated and slowly squeeze tube until sufficient gel is dispensed. ABOLISH PRO COCKROACH GEL should be applied as spots or lines to areas where cockroaches occur such as between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets, sinks, closets and any other areas that cockroaches are typically known to hide. Surfaces treated with ABOLISH PRO COCKROACH GEL should not be treated with residual sprays. Repeat when spots start to disappear.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

ABOLISH PRO COCKROACH GEL is designed to control pest species of cockroaches including American and German. The slight delay in mortality caused by the active ingredient, indoxacarb, allows cockroaches to consume the bait and transfer it to other colony members before dying.

CAUTION

DO NOT allow chemical container to get into drains, sewers, streams or ponds.
DO NOT apply in any areas easily accessible to children or animals.
DO NOT allow to contact food, pet food or their water.
DO NOT place gel on surfaces where food is prepared or on utensils that are used for food preparation.

DO NOT apply to hot surfaces.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.