



TEMPLATE FOR RELEVANT LABEL PARTICULARS (RLPs) (Veterinary Products)

Select appropriate:

- New Product (include all applicable RLPs) OR
 Variation (highlight instructions that are being varied). Approval no. of label being varied: **39573/0209**

Signal heading:	Caution Keep out of reach of children Read Safety Directions Before Opening or Using For Animal Treatment Only
Product name:	WSD FLY STRIKE POWDER TO CONTROL FLYSTRIKE AND FOR WOUND DRESSING FOR ANIMALS
Active constituent/s:	15 g/Kg Diazinon (An Anticholinesterase compound) 1 g/Kg Pyrethrins 0.8 g/Kg Piperonyl Butoxide
Statement of claims:	To control flystrike and for wound dressing for animals.
Net contents:	500gm, 2.5Kg
Directions for Use Heading:	Directions for use
Restrains:	Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption.
Contraindications:	-
Precautions:	-
Side effects:	-
Dosage & administration:	Wound dressing, after marking, mulesing and dehorning: Dust the wound using a suitable container, ensuring the powder enters any crevices and cavities under the skin. Apply the powder in ample quantities to the area of operation. For general wounds: clip hair or shear affected areas and dust them lightly. For strike, dehorning: apply the powder in ample quantities to the area affected. Not to be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.
General directions:	
Withholding Period/s:	Meat withholding period (sheep and goats): Do not use less than fourteen (14) days before slaughter for human consumption. Meat withholding period (cattle): Do not use less than three (3) days before slaughter for human consumption. Milk withholding period (sheep & goats & cattle): Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption. WOOL HARVEST INTERVAL: DO NOT use less than 2 months before shearing or fibre collection.
Trade Advice:	Cattle: Do not use less than 3 days before slaughter for export. Sheep: Do not use less than 21 days before slaughter for export. Goats: An ESI has not been established for the use of this product in goats. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer website on www.westernstock.com.au or the APVMA website www.apvma.gov.au/residues/ESI.shtml Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate

	treatment records should be kept and made available, if requested by wool buyers.
Safety Directions:	Harmful if swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale dust. When using the product wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow length PVC gloves. After using and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.
First Aid:	If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 13 11 26).
Additional user safety:	Sheep Rehandling Interval: Six weeks. If sheep must be handled during this interval, cotton overalls buttoned to the neck (or equivalent clothing) should be worn. Material Safety Data Sheet: Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.
Environmental statements:	Dangerous to fish. Do not contaminate streams, rivers and waterways with the product or used containers.
Disposal:	Triple or (preferably) pressure rinse container. Dispose of rinsate in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Do not dispose of undiluted chemicals on-site. Return clean container for recycling where this is an option or for disposal at a landfill authorised to accept this waste. If neither of these options are available, bury the container below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty container should not be burned.
Storage:	Store below 30°C (room temperature) in the closed, original container in a dry, well-ventilated area and protect from light.
Name & address:	Western Stock Distributors ABN 58 009 372 525, Koojan Avenue South Guildford WA 6055 Telephone (08) 9321 2888 Email sales@westernstock.com.au Website www.westernstock.com.au

The following is for APVMA use only:

APVMA approval no.	APVMA No: 39573/0614
--------------------	-----------------------------