

# Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 07.05.2024

Product: **Seclira Pressurised Fly Bait**

Version: 3.0

(30679970/SDS\_CPA\_AU/EN)

Date of print: 08.05.2024

## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**  
**Seclira Pressurised Fly Bait**

Use: crop protection product, insecticide

Recommended use: insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

---

## 2. Hazard identification

Classification of the substance and mixture:

Specific target organ toxicity — single exposure: Cat.3 (May cause drowsiness and dizziness.)

Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.3

Aerosols: Cat.2

Label elements and precautionary statement:

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H223	Flammable aerosol.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H229	Pressurized container: May burst if heated.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist or vapour or spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Repeated exposure may cause skin dryness or cracking.

---

### 3. Composition/information on ingredients

Chemical nature

BASF Safety data sheet  
 Date / Revised: 07.05.2024  
 Product: **Seclira Pressurised Fly Bait**

Version: 3.0

(30679970/SDS\_CPA\_AU/EN)

Date of print: 08.05.2024

Substance nature: mixture

crop protection product, insecticide

### **Hazardous ingredients**

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 1 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 5 (Inhalation - dust)

Acute Tox.: Cat. 4 (oral)

Acute Tox.: Cat. 5 (dermal)

Skin Irrit.: Cat. 3

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor acute: 10

M-factor chronic: 10

2-Propanone

Content (W/W): < 30 %

CAS Number: 67-64-1

Asp. Tox.: Cat. 2

Flam. Liq.: Cat. 2

Eye Dam./Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

STOT SE: Cat. 3 (irr. to respiratory syst.)

dimethyl ether

Content (W/W): < 20 %

CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas

Flam. Gas: Cat. 1A

## **4. First-Aid Measures**

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

BASF Safety data sheet  
Date / Revised: 07.05.2024  
Product: **Seclira Pressurised Fly Bait**

Version: 3.0

(30679970/SDS\_CPA\_AU/EN)

Date of print: 08.05.2024

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

Specific hazards:  
carbon monoxide, carbon dioxide, nitrogen oxides  
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:  
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).  
For large amounts: Dike spillage. Pump off product.  
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:  
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)

STEL value 500 ppm (ACGIHTLV)

TWA value 1,185 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)

STEL value 2,375 mg/m<sup>3</sup> ; 1,000 ppm (AU NOEL)

dimethyl ether, 115-10-6;

STEL value 950 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)

TWA value 760 mg/m<sup>3</sup> ; 400 ppm (AU NOEL)

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Hand protection not required.

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Eye protection not required.

Body protection:

Body protection not required.

General safety and hygiene measures:

Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: liquid  
Colour: pale straw yellow  
Odour: of acetone  
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 8 - 10  
(deionized water, 1 %(m), 25 °C)

Melting point: The product has not been tested.

Boiling point: approx. -23.7 °C  
Information applies to the solvent.

Flash point: -41 °C  
Information applies to the solvent.

Evaporation rate: not applicable

Flammability (solid/gas): Highly flammable.  
Lower explosion limit: 3.3 %(V)  
Information applies to the solvent.

Upper explosion limit: 26.2 %(V)  
Information applies to the solvent.

Ignition temperature: 350 °C  
Information applies to the solvent.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: approx. 5,100 hPa  
(20 °C)  
Information applies to the solvent.

Density: approx. 1.00 g/cm<sup>3</sup>  
(20 °C)

Relative vapour density (air): not applicable

Solubility in water: dispersible  
Partitioning coefficient n-octanol/water (log Pow):  
The statements are based on the properties of the individual components.

BASF Safety data sheet  
Date / Revised: 07.05.2024  
Product: **Seclira Pressurised Fly Bait**

Version: 3.0

(30679970/SDS\_CPA\_AU/EN)

Date of print: 08.05.2024

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Partitioning coefficient n-octanol/water (log Pow): -0.549  
(25 °C)

-----  
Viscosity, dynamic: approx. 2.34 mPa.s  
(20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (OECD Guideline 425)

No mortality was observed.

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 5.09 mg/l 4 h (OECD Guideline 403)

No mortality was observed.

#### Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

### **Symptoms**

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### **Irritation**

Assessment of irritating effects:  
Not irritating to eyes and skin.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

### **Respiratory/Skin sensitization**

Assessment of sensitization:  
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:  
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

### **Germ cell mutagenicity**

Assessment of mutagenicity:  
Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Carcinogenicity**

Assessment of carcinogenicity:  
The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Reproductive toxicity**

Assessment of reproduction toxicity:  
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Developmental toxicity**

Assessment of teratogenicity:  
Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Specific target organ toxicity (single exposure)**

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Aspiration hazard**

not applicable

### **Other relevant toxicity information**

Misuse can be harmful to health.

Has a degreasing effect on skin.

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*

LC50 (48 h) 0.0721 mg/l, *Chironomus riparius*

-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, *Mysidopsis bahia*

No observed effect concentration (27 d), 0.003 mg/l, *Chironomus riparius*  
-----

### **Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.  
-----

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria).  
-----

### **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.  
-----

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## **13. Disposal Considerations**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Emptied gas pressure vessels must not be opened.

BASF Safety data sheet  
Date / Revised: 07.05.2024  
Product: **Seclira Pressurised Fly Bait**

Version: 3.0

(30679970/SDS\_CPA\_AU/EN)

Date of print: 08.05.2024

---

## 14. Transport Information

### Domestic transport:

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: no

Special precautions for user: None known

### Further information

IERG Number:49

### Sea transport

IMDG

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: no

Marine pollutant: NO  
Special precautions for user: EmS: F-D; S-U

### Air transport

IATA/ICAO

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS, FLAMMABLE  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: No Mark as dangerous for the environment is needed  
Special precautions for user: None known

---

## 15. Regulatory Information

### Other regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No.: 83016

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

**Registration status:**

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

---

## 16. Other Information

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.